

WAREHOUSE-WISE STOCK POSITION AS ON 16-11-2023															
BASE METAL – COMMODITY															
Commodity	State	Delivery Centers	Warehouse Name & Address	Accredited Capacity of Warehouse (In MT)	Storage Capacity (In MT)	Total Utilised Capacity (In MT)	Balance Capacity for Storage (In MT)	Stocks Eligible for Exchange Delivery (In MT)	Validity Date	Final Expiry Date of the Stocks Eligible for Exchange Delivery	Quantity in Process (In MT)	Rejected Stocks (In MT)	Expired Stocks (In MT)	Remat Stocks (In MT)	
Aluminium	Delhi(NCR)	Palwal(NCR)	(Naveen sharma & deepak warehouse)Village, Tatarpur, Post office Asaoti, Tehsil-Palwal, District-Palwal (HR) – 121102	1600	1000	15.6730	797.7210	15.6730	-	-	0.0000	0.0000	0.0000	0.0000	
Aluminium Mini						0.9910		0.0000			0.0000	0.0000	0.9910		
Copper						0.0000		0.0000			0.0000	0.0000	0.0000		
Nickel						0.0000		0.0000			0.0000	0.0000	0.0000		
Zinc Mini						171.7260		0.0000			0.0000	171.7260	0.0000		
Lead						0.0000		0.0000			0.0000	0.0000	0.0000		
Lead Mini						13.8890		13.8890			0.0000	0.0000	0.0000	0.0000	
Aluminium	Maharashtra	Bhiwandi	(Om Harihar Corporation), House number -220, Bldg no- K5 , Gala no- 5/1, Survey number -31, Hissa number- 1 , Harihar complex, Vadunavghar, Bhiwandi- 421302	3750	3750	0.0000	642.5410	0.0000	-	-	0.0000	0.0000	0.0000	0.0000	
Copper						3095.3900		2881.9650	-	-	213.4250	0.0000	0.0000	0.0000	
Nickel						5.8860		5.8860	-	-	0.0000	0.0000	0.0000	0.0000	
Zinc						0.0000		0.0000	-	-	0.0000	0.0000	0.0000	0.0000	
Zinc Mini						6.1830		6.1830	-	-	0.0000	0.0000	0.0000	0.0000	
Lead						0.0000		0.0000	-	-	0.0000	0.0000	0.0000	0.0000	
Aluminium	Chattisgarh	Raipur	(Mohammad Irshad warehouse)Plot Kh. No. 463/4, 467/4 P.H. No.23, Gram Tekari, Dharsiwa Dist. Raipur (C-G)-492001	1500	1181	0.0000	1181.0000	0.0000	-	-	0.0000	0.0000	0.0000	0.0000	
Aluminium Mini						0.0000		0.0000	0.0000	0.0000	0.0000	0.0000			
Aluminium, Copper,Nickel, Zinc,Lead Total				0	4750	3309.7380	2621.2620	2923.5960	0.0000	0.0000	213.4250	171.7260	0.0000	0.9910	
Commodity	State	Delivery Centers	Warehouse Name & Address	Accredited Capacity of Warehouse (In Bales)	Storage Capacity (In MT)	Total Utilised Capacity (In MT)	Balance Capacity for Storage (In MT)	Stocks Eligible for Exchange Delivery (In MT)	Validity Date	Final Expiry Date of the Stocks Eligible for Exchange Delivery	Quantity in Process (In MT)	Rejected Stocks (In MT)	Expired Stocks (In MT)	Remat Stocks (In MT)	
Cotton Bales	Madhya Pradesh	Indore	Jics Logistic Ltd c/o Jhawar Ice & Cold Storage (Near Kshipra, Gram Arjun Baroda, Indore, Madhya Pradesh - 453771)	8000	8000	0	8000	0	-	-	0	0	0	0	
Cotton Bales Total				8000	8000	0	8000	0	0	0	0	0	0	0	
Disclaimer: The stock positions stated above are for information only. The stock positions indicated above has no relation to deliveries made earlier or to be made on the Exchange Platform. The stock positions are as per the Warehouse/Depository records and may also include stocks, which are in the process of dematerialization / rematerialisation. The stocks held in the designated warehouse/s of the Exchange may also contain the stock/s delivered in settlement of earlier futures contracts and not withdrawn by the respective beneficiaries from the warehouse. Further, the holder of stocks may or may not transact or give delivery of such stocks on the Exchange platform. Market participants are advised to suitably take note of the above. Exchange makes no representation or warranty regarding the correctness, accuracy, completeness or fitness of the above information, contents for any particular purpose, and shall not be responsible for errors and omissions of any kind, though the information obtained from the sources, which is believed to be reliable. The information contained herein is strictly confidential and is meant for the intended recipients. Neither the Exchange and Exchange affiliates, nor their employees, directors or agents shall be liable for any damage, direct or indirect, loss or costs whatsoever arising due to use of or relying upon the above information. The quantity in process stated above is only indicative and would be subject to assayer's certification and confirmation at post assaying stages.															